

HUNTER SWING JOINTS



- Swivel elbows on both ends
- Pressure rated to 10 bar
- Each end can rotate in multiple directions
- Great for 1/2" & 3/4" pop-up sprinklers
- 6" & 12" options available

Catalogue No	Old Catalogue No	Inlet BSP "M	Outlet BSP "M	Length Inch	Price £	Box Qty
HJ0506	2SJH1106	1/2"	1/2"	6	2.60	150
HJ0512	2SJH1112	1/2"	1/2"	12	3.12	100
HJ0706	2SJH2206	3/4"	3/4"	6	2.86	150
HJ0712	2SJH2212	3/4"	3/4"	12	3.28	100
HJ7506	2SJH1206	1/2"	3/4"	6	2.96	200
HJ7512	2SJH1212	1/2"	3/4"	12	3.28	100



Catalogue No	Old Catalogue No	Inlet BSP "M	Outlet	Type	Price £	Box Qty
HJ165412	2SJH165412	1	1" BSP M	Triple Top	53.00	15
HJ168412	2SJH168412	1	1 1/2" Acme	Triple Top	53.00	15
HJ260412	2SJH260412	1 1/4	1 1/4" Acme	Triple Top	69.75	15
HJ268412	2SJH268412	1 1/4	1 1/2" Acme	Triple Top	69.75	15
HJ360212	2SJH360212	1 1/2	1 1/2" Acme	Standard	58.25	10
HJ360412	2SJH360412	1 1/2	1 1/2" Acme	Triple Top	83.25	15
HJ16U212	2SJH16U212	1	1" BSP M	Non Turn - QCV Stab	70.75	15

NEW

Catalogue No	Inlet Elbow BSP "M	Outlet	Length Inch	Price £	Box Qty
HJ1B5212	1	1" BSP M	12	33.25	15
HJ3B5212	1 1/2	1 1/2" BSP M	12	58.25	15
HJ2B0212	1 1/4	1 1/4" Acme	12	47.75	15
HJ3B0212	1 1/2	1 1/2" Acme	12	58.25	15
HJ1B8212	1	1 1/2" Acme	12	33.25	20
HJ2B8212	1 1/4	1 1/2" Acme	12	47.75	15

HUNTER FLEXIBLE TUBE & SPIRAL ELBOWS

- Equivalent to Funny Pipe
- 1/2" flexible tube for connecting sprinklers
- 1/2" & 3/4" spiral barbed elbows
- Tubing comes in 30m (100') rolls

Catalogue No	Old Catalogue No	Description	Price £	Box Qty
HJBFLEX-30	2SJBFLX-30	30M Roll - 1/2" Flexible Tubing	43.68	50
HJBC1M	NEW	Spiral Barbed Connector x 1/2" NPT	0.34	NA
HJBC2M	NEW	Spiral Barbed Connector x 3/4" NPT	0.36	NA
HJBE1M	2SJBE1M	Spiral Barbed Elbow x 1/2" NPT	0.34	200
HJBE2M	2SJBE2M	Spiral Barbed Elbow x 3/4" NPT	0.36	200
HJBETOOL	2SJBETOOL	Installation tool	20.60	150



DURA SWING JOINTS

DURA SWING JOINTS



- Swing joints for valve-in-head sprinklers & other applications where static pressure will be applied to the joints
- Rigid PVC with o-ring joints in the elbows

Catalogue No	Inlet BSP "M	Outlet BSP "M	Length Inch	Price £	Box Qty
2SJD2208	3/4	3/4	8	24.10	25
2SJD2212	3/4	3/4	12	25.77	25
2SJD3308	1	1	8	34.20	10
2SJD3312	1	1	12	36.43	10
2SJD3318	1	1	18	38.35	10
2SJD4408	1 1/4	1 1/4	8	38.05	10
2SJD4412	1 1/4	1 1/4	12	50.88	10
2SJD5512	1 1/2	1 1/2	12	58.76	10

Catalogue No	Inlet BSP "M	Outlet Acme	Length Inch	Price £	Box Qty
2SJDA4312	1	1 1/4	12	38.34	10
2SJDA4412	1 1/4	1 1/4	12	50.88	10
2SJDA5312	1	1 1/2	12	38.34	10
2SJDA5412	1 1/4	1 1/2	12	50.88	10
2SJDA5512	1 1/2	1 1/2	12	58.76	10

DURA ADDITIONAL ELBOWS

Catalogue No	Inlet Female Swing	Outlet Male Swing	Price £	Box Qty
2SJDE22	3/4	3/4	5.99	50
2SJDE33	1	1	5.70	50
2SJDE44	1 1/4	1 1/4	7.53	50
2SJDE55	1 1/2	1 1/2	10.54	50

Catalogue No	Inlet Female Swing	Outlet BSP "M	Price £	Box Qty
2SJDEFS33	1	1	6.65	50

Catalogue No	Inlet Female Swing	Outlet Acme	Price £	Box Qty
2SJDEA33	1	1	9.57	50
2SJDEA43	1	1 1/4	11.82	50
2SJDEA53	1	1 1/2	11.82	50
2SJDEA44	1 1/4	1 1/4	14.07	50
2SJDEA54	1 1/4	1 1/2	14.07	50
2SJDEA45	1 1/2	1 1/4	14.07	50
2SJDEA55	1 1/2	1 1/2	17.78	50

HUNTER BRASS QUICK COUPLERS (QC)



Catalogue No	Description	Price £
HSZHQ5LR	QC Valve 1" inlet. Locking Rubber Cover	151.80
HSZHK55	QC Key 1" Outlet	124.80
HSZHLK	Lid Key	13.50
HSZHS2B	1" BSP Hose Swivel Elbow	89.44



- All MP Rotators require a Hunter Pro-Spray or shrub-head body to fit into
- The PRS-40 pressure regulated Pro-Spray body is regulated to 2.8 Bar (40psi) which is ideal
- Four models: MP1000, 2000, 3000, 3500
- The 90° option adjusts from 90°-210°
- The 210° option adjusts from 210°-270°
- The 360° option is a true full circle head
- Matched precipitation; the precipitation rate is proportionate with the spray coverage
- Radius can be reduced by 25% on all models
- Use the MP Tool to make adjustments
- Colour-coded for easy identification
- 2 year warranty

MP 1000 (UP TO 4.5M RADIUS)

Catalogue No	Description	Colour	Price £
HSMP10-090	90-210°	Maroon	10.50
HSMP10-210	210-270°	Light Blue	10.50
HSMP10-360	Full Circle	Olive	10.50

MP 2000 (UP TO 6.7M RADIUS)

Catalogue No	Description	Colour	Price £
HSMP20-090	90-210°	Black	10.50
HSMP20-210	210-270°	Green	10.50
HSMP20-360	Full Circle	Red	10.50

MP 3000 (UP TO 9.1M RADIUS)

Catalogue No	Description	Colour	Price £
HSMP30-090	90-210°	Blue	10.50
HSMP30-210	210-270°	Yellow	10.50
HSMP30-360	Full Circle	Grey	10.50

MP 3500 (UP TO 11M RADIUS)

Catalogue No	Description	Colour	Price £
HSMP35-090	90-210°	Lt. Brown	10.50

MP STRIPS (UP TO 4.5M RADIUS)

Catalogue No	Description	Colour	Price £
HSMPPLCS	Left Corner 1.5 x 4.6M	Ivory	10.50
HSMPRCS	Right Corner 1.5 x 4.6M	Copper	10.50
HSMPSS	Side Strip 1.5 x 9.1M	Brown	10.50
HSMPPCS	Corner 45-105° 4.1M	Turquoise	10.50

MP 800SR - SHORT RANGE (UP TO 3.5M RADIUS)

Catalogue No	Description	Colour	Price £
HSMP80SR-90	1.8 x 3.5m 90-210°	Orange & Grey	10.50
HSMP80SR-360	1.8 x 3.5m 360°	Lime & Grey	10.50
HSMP815-90	2.5 x 4.9m 90-210°	Maroon & Grey	10.50
HSMP815-210	2.5 x 4.9m 210-270°	Lt Blue & Grey	10.50
HSMP815-360	2.5 x 4.9m 360°	Olive & Grey	10.50

MP STAKES



Catalogue No	Description	Price £
HSMPSAKE	71cm Staking Kit, 8mm Tubing to 1/2" M BSP, HSPROS-00	22.00
HSMPSAKE-P4C	86cm Staking Kit, 8mm Tubing to 1/2" M BSP, HCV, HSPRS40-00	34.00

NEW

HUNTER PRO ADJUSTABLE SPRAY NOZZLES



- Designed to fit Pro-Spray & PRS-30 bodies
- Matched precipitation for different angles
- Adjust with your fingers or the Hunter key
- Large droplets to withstand light winds
- Colour coded for easy identification
- Adjustable 0° - 360°
- Recommended operating pressure 2 Bar
- Hence the PRS-30 body is designed for sprays

Catalogue No	Description	Colour	Price £
HSPSN04A	4' Radius (1.2M)	Lt. Green	1.61
HSPSN06A	6' Radius (1.8M)	Lt. Blue	1.61
HSPSN08A	8' Radius (2.4M)	Brown	1.61
HSPSN10A	10' Radius (3M)	Red	1.61
HSPSN12A	12' Radius (3.7M)	Green	1.61
HSPSN15A	15' Radius (4.6M)	Black	1.61
HSPSN17A	17' Radius (5.2M)	Grey	1.61
HSPSN08A-SN	25-360° 8' (2.6M) Stream	Blue	1.61
HSPSN16A-SN	25-360° 17' (5.3M) Stream	Blue	1.61
HSSRN04H	180° Short Range Nozzle	Lt. Green	1.61
HSSRN04Q	90° Short Range Nozzle	Lt. Green	1.61
HSSRN06H	180° Short Range Nozzle	Lt. Blue	1.61
HSSRN06Q	90° Short Range Nozzle	Lt. Blue	1.61

HUNTER STRIP PATTERN SPRAY NOZZLES



- Designed to fit the Pro-Spray & PRS-30 bodies
- For narrow strips: rectangular pattern
- To operate these at optimal pressure, use the PRS-30 pressure regulated body

Catalogue No	Description	Colour	Price £
HSPSNLCS	Left Corner 5' x 15' (1.5 x 4.5M)	Blue	1.87
HSPSNRCS	Right Corner 5' x 15' (1.5 x 4.5M)	Blue	1.87
HSPSNCS	Centre Strip 5' x 30' (4.5M) each way	Blue	1.87
HSPSNES	End Strip 5' x 15' (1.5 x 4.5M)	Blue	1.87
HSPSNSS530	Side Strip 5' x 30' (1.5 x 9.1M)	Blue	1.87

HUNTER BUBBLER NOZZLES



- Fits into the Pro-Spray pop-up or shrubhead
- Up to 7.6 l/m flow rate.
- Pressure range 1 - 4 Bar

Catalogue No	Description	Colour	Price £
HSMSBN-050Q	Multi Stream 1/4 Circle 1.9l/min	Lt. Green	2.96
HSPCN-02	0.9 l/min Trickle Pattern	Lt. Blue	2.96
HSPCN-05	1.9 l/min Trickle Pattern	Lt. Green	2.96
HSPCN-10	3.8 l/min Umbrella Pattern	Red	2.96
HSPCN-20	7.6 l/min Umbrella Pattern	Yellow	2.96

All diameters listed are at 2.1 Bar (32PSI)

STANDARD PRO-SPRAY BODY



- 1/2" BSP female inlet on all models
- Compatible with female threaded nozzles
- Recommended pressure range 1 - 7 Bar
- Check-valve models; check to 3m elevation
- Side & bottom inlets on the 6" & 12" models
- Pressure-activated wiper seal

Catalogue No	Description	Price £	Box Qty
HSPROS-00	Shrub Adaptor	1.20	250
HSPROS-02	2" Pop Up	2.86	50
HSPROS-04	4" Pop Up	2.72	50
HSPROS-06	6" Pop Up	11.04	25
HSPROS-12	12" Pop Up	17.63	25
HSPROS-04-CV	4" Pop Up c/w Check Valve	5.82	50
HSPROS-06-CV	6" Pop Up c/w Check Valve	15.08	25
HSZ437400	Pro-Spray Check Valve	1.49	25

PRS-30 PRESSURE-REGULATED BODY ONLY



- Pro-Spray body with built-in 30psi (2.1 Bar) pressure regulator to control the flow rate
- Designed for Hunter adjustable spray nozzles
- Check valve models; check to 3m elevation
- Side & bottom inlets on the 6" & 12" models
- Pressure-activated wiper seal
- Tan coloured top denotes PRS-30

Catalogue No	Description	Price £	Box Qty
HSPRS30-00	2.1 Bar Regulated Shrub Head	6.68	25
HSPRS30-04	2.1 Bar Regulated 4" Pop Up	8.46	50
HSPRS30-12	2.1 Bar Regulated 12" Pop Up	21.84	25
HSPRS30-04-CV	2.1 Bar Reg 4" Pop Up c/w Check Valve	11.13	50
HSPRS30-06-CV	2.1 Bar Reg 6" Pop Up c/w Check Valve	23.40	25
HSPRS30-12-CV	2.1 Bar Reg 12" Pop Up c/w Check Valve	28.60	25

PRS-40 PRESSURE-REGULATED BODY ONLY



- Pro-Spray body with built-in 40 psi (2.8 Bar) pressure regulator to control the flow rate
- Designed for the MP Rotator
- Check-valve models; check to 3m elevation
- 5 year warranty
- Heavy duty spring
- Side & bottom inlets on the 6" & 12" models
- Pressure-activated wiper seal
- Grey coloured top denotes PRS-40

Catalogue No	Description	Price £	Box Qty
HSPRS40-00	2.8 Bar Regulated Shrub Head	6.68	25
HSPRS40-04-CV	2.8 Bar Reg 4" Pop Up c/w Check Valve	11.13	50
HSPRS40-06-CV	2.8 Bar Reg 6" Pop Up c/w Check Valve	23.40	25
HSPRS40-12-CV	2.8 Bar Reg 12" Pop Up c/w Check Valve	28.60	25

PGJ ROTOR



- 2 year warranty on all "P" series rotors
- 1/2" BSP female inlet
- Complete with 8-nozzle rack
- Radius 4.3 - 11.6 metres
- Recommended pressure range 1.4-6.9 Bar
- 14 degree nozzle trajectory
- Pop-up versions in 4", 6" & 12" height

Catalogue No	Description	Price £	Box Qty
HSPGJ-00	Shrub Version	15.00	25
HSPGJ-04	4" Pop Up	13.93	25
HSPGJ-06	6" Pop Up	29.64	25
HSPGJ-12	12" Pop Up	41.60	12
HSZ302500	Check Valve for PGJ	1.49	25

PGP ULTRA ROTOR



- 3/4" female BSP inlet
- Nozzle rack has 8 standard blue nozzles and 4 grey low angle nozzles
- Radius 4.9-14 metres
- Flow rate 0.07-3.23 m³/hour
- Recommended pressure 1.4 to 7 Bar
- 25 degree standard blue nozzle trajectory
- 13 degree low angle grey trajectory
- Check valve will hold max. 3m elevation

Catalogue No	Description	Price £	Box Qty
HSPGP-00	Shrub Head	16.00	20
HSPGP-04	4" Pop Up	16.00	20
HSPGP-04-CV	4" Pop Up c/w Check Valve	24.25	20
HSZ142300	Check Valve & Screen Assy. For PGP	1.49	25

PRO SPRAY AND PG SERIES SPARES

Catalogue No	Description	Price £
HSZ462078	PGJ Check Valve (bag of 25)	20.16
HSZ538700	PGJ Nozzle Rack	0.54
HSZ130900	PGP Original Red Nozzle RK (12No)	0.54
HSZ466100	PGP Ultrashort Radius (6 x black)	0.54
HSZ233200	PGP.Orig. Low Angle Nozzle RK (7No)	0.54
HSZ782900	Nozzle RK (8std,4 low) for PGP/1-20	0.54

HUNTER HCV CHECK VALVES



- Adjusts to compensate for elevation changes up to 11m
- Meets schedule 80 specification
- Different models for 1/2" & 3/4" sprinklers

Catalogue No	Description	Price £
HSV50F05F	1/2" F Inlet x 1/2" F Outlet	7.77
HSV50F05M	1/2" F Inlet x 1/2" M Outlet	7.77
HSV07F07M	3/4" F Inlet x 3/4" M Outlet	8.84

I-20 COMMERCIAL ROTOR



- Radius up to 14 metres
- 3/4" BSP female inlet
- Complete with 8 standard & 4 low Angle nozzles
- Part & full circle in one sprinkler
- Flo-stop control; Reduce the radius and even turn the sprinkler off through the top
- Drain check valve (3m) standard on all models
- Flow rate 0.07-3.23 m³/hour
- 25 Degree standard blue nozzle trajectory
- 13 Degree low angle grey trajectory

Catalogue No	Description	Price £	Box Qty
HSI20-04	4" Pop Up, Plastic Riser	26.78	20
HSI20-04-SS	4" Pop Up, Stainless Riser	37.49	20
HSI20-06-SS	6" Pop Up, Stainless Riser	51.42	20
HSI20-12	12" Pop Up, Plastic Riser	55.70	12

I-25 COMMERCIAL ROTOR



- Radius 11.9 - 21.6 metres
- 1" BSP female inlet
- Part & full circle in one sprinkler
- Drain check valve (3m) standard on all models
- Flow rate 0.82 - 7.24 m³/hour
- Recommended pressure 4-7 Bar
- 25 degree nozzle trajectory

Catalogue No	Description	Price £	Box Qty
HSI25-04	4" Pop Up, Plastic Riser	58.92	12
HSI25-04-SS	4" Pop Up, Stainless Riser	77.13	12
HSI25-06	6" Pop Up, Plastic Riser	78.20	12
HSI25-06-SS	6" Pop Up, Stainless Riser	94.27	12

I-40 COMMERCIAL ROTOR



- All I-40 models have stainless risers
- 1" BSP female inlet
- Opposing nozzle version provides greater throw
- Standard model radius 13 - 21.3 metres
- Opposing nozzle radius 15 - 23.2 metres
- Recommended pressure range 2.8 - 7 Bar
- Part & full circle in one model
- 5 Year warranty

Catalogue No	Description	Price £	Box Qty
HSI40-04-SS	4" Pop Up	116.76	12
HSI40-04SSO	4" Pop Up, Opposing Nozzles	132.83	12
HSI40-06-SS	6" Pop Up	133.90	12
HSI40-06SSO	6" Pop Up, Opposing Nozzles	144.61	12
HSI40-TC	Turf Cup for I40	44.46	25

I-50 COMMERCIAL ROTOR



- 1" BSP Female inlet
- Standard model radius 13-21.3 meters
- Opposing nozzle radius 16-23.2 meters
- Perfect for harsh water conditions
- Tool free PC and FC adjustment
- 50° to 360°
- Opposing noz. model for even watering in FC
- 5 Year warranty

Catalogue No	Description	Price £	Box Qty
HSI50-06-SS	6" Pop Up, Adjustable	161.00	12
HSI50-06-SSO	6" Pop Up, Full Circle, Opposing Nozzles	170.00	12

I-80 TURF ROTOR



- 1 1/2" BSP female bottom inlet.
- All I-80 models have ratcheting stainless steel riser
- No-dig servicing of riser assembly
- No-dig arc adjustments
- Quick-release turf cup assembly
- Threads in cup lock/retain the turf
- Exclusive Total-Top-Service (TTS) design
- I-80 standard radius: 11.3 m to 28.7 m
- I-80-ON radius: 14.9 to 29.6 m
- Warranty period: 5 years

Catalogue No	Description	Price £	Box Qty
HSI80-04-SS	4" Pop Up, Adjustable	208.00	6
HSI80-04-SSO	4" Pop Up, Full Circle, Opposing Nozzles	224.00	6
HSI80-TC	I-80 Turf Cup Kit	185.85	NA

I-90 LARGE TURF ROTOR



- 1 1/2" BSP female bottom inlet.
- Radius up to 30.8 metres
- Flow rate 5 - 18.6 m³/hour
- Recommended pressure range 4 - 7.5 bar.
- Pop-up height 3".
- Plastic riser only (no stainless options)
- 5 year warranty

Catalogue No	Description	Price £	Box Qty
HSI90-ADV	Adjustable Arc	217.36	6
HSI90-36V	Full Circle	217.36	6
HSI90-TC	I-90 Turf Cup Kit	69.16	NA

ST-1600 SYSTEMS



ST-1600B



ST-1600BR



Vault for ST-1600-B systems

- Designed for synthetic sports pitches
- Radius 32.5 - 50.3 metres
- Flow rate 22 - 74 m³/hour
- Required pressure range 4 - 8 Bar

Catalogue No	Description	Price £
HSST-1600-BHS	ST-1600B Series Pop-up, High Speed	1,586.00
HSST-1600-BR	ST-1600BR Series Riser Mounted	842.40
Accessories:		
HSST-1600-IBS	In-fill Barrier System	202.80
HSST243642-B	Vault for ST-1600-B System	1,675.00
HSST-BKT1600	ST-1600 Hanger Bracket	338.00

ST-1700V ROTOR



- Total-Top-Service design for convenient no-dig servicing
- Valve-in-head simplifies installation
- Heavy duty internal gear drive for years of reliability

Catalogue No	Description	Price £
HSST-1700-V	ST-1700 VIH Pop Up Rotor	1,872.30

G70 GOLF HEADS



- Max. radius 22.9m (full circle) 21.6m (part circle)
- G70B is full circle
- G75B is adjustable arc (50°-360°)
- 6 Full circle nozzles (25°)
- 9 Part circle nozzles (25°)
- Flow rate 1.75 - 7.6 m³/hour (30-127 l/min)
- Required pressure range 2.8- 6.9 Bar
- 3 Year warranty

Catalogue No	Description	Price £
HSG70B	Full Circle, Block, 1 1/4" Acme	154.00
HSG75B	Adjustable Arc, Block PC 1 1/4" Acme	175.00

G900 SERIES GOLF HEADS



- Radius 22.3m- 31.7m (111-317 l/min)
- 1 1/2" Acme inlet
- G990E is full circle
- G995E is adjustable arc (40°-360°)
- 8 Standard trajectory nozzles (22.5°)
- 8 Low angle trajectory nozzles (15°)
- Flow rate 7 - 19 m³/hour (111-317 l/min)
- Required pressure range 5.5- 8.3 Bar
- 3 Regulated pressure options available: 5.6 Bar (80psi), 7 Bar (100psi), 8.4 Bar (120psi)
- TTS compartment is large enough to fit a Hunter decoder & cable connections
- 3 Year warranty

Catalogue No	Description	Price £
HSG990E	Full Circle, Electric VIH	418.00
HSG995E	Adjustable Arc, Electric VIH	454.00
SPARE PARTS		
HSZ643200	Inlet Valve Assy for 900 Series	45.20
HSZ463004	Replacement Riser Assem for G995	178.40
HSZ464363	G90 Primary Nozzle 33 (x25)	39.10
HSZ191800	G990/995 Nozzle - Short Range	2.15
HSZ378105	G995 Top Cap	8.65

ACME-TO-BSP ADAPTOR BUSHES

- Use the 1 1/4" Acme adaptors for the G35B, G75B & G85B sprinklers
- Use the 1 1/2" Acme adaptors for all Hunter electric VIH sprinklers

Catalogue No	Inlet Acme Male	Outlet BSP " Female	Price £
HSGB3AM3F	1"	1	9.65
HSGB4AM3F	1 1/4"	1	10.55
HSGB4AM5F	1 1/4"	1 1/2	10.55
HSGB5AM3F	1 1/2"	1	14.70
HSGB5AM4F	1 1/2"	1 1/4	14.70
HSGB5AM5F	1 1/2"	1 1/2	14.70

TTS-800 SERIES GOLF HEADS



- Radius 11.3m- 28.7m
- Comes with std nozzle no 25
- 885 is adjustable arc (50°-360°)
- Wide range of nozzles including 12 standard trajectory (22.5°) & 9 low angle (15°) nozzles along with a range of 8 contour back nozzles
- Flow rate 2 - 13.5 m³/hour (33-225 l/min)
- Required pressure range 3.4 to 6.9 Bar
- Built in adjustable pressure regulation
- 3 Year warranty; up to 5 years if purchased with Hunter swing joint
- New TTS compartment with cable ports large enough for DBR-Y connectors
- New modular colour coded parts for even easier servicing and space saving

Catalogue No	Description	Price £
HSGT885E	Adjust. Arc Electric VIH, 1 1/2" Acme	449.00
HSGT885DIH	TTS-885 DIH, PC/FC 1 1/2" Acme	669.00
Accessories:		
HSZ987200SP	Low Bounce Cover	178.70
HSZ987100SP	No-Bounce Cover Kit	199.10

G880 SERIES GOLF HEADS



- Radius 20.4m-26.8m
- Comes with std nozzle no 25
- G885E is adjustable arc (50°-360°)
- Wide range of nozzles including 12 standard trajectory (22.5°) & 9 low angle (15°) nozzles
- Also a range of 8 contour back nozzles
- Flow rate 5 - 13 m³/hour (83-217 l/min)
- Required pressure range 3.5- 7 Bar
- 3 Regulated pressure options available: 3.5 Bar (50psi) 4.5 Bar (65psi) & 5.6 Bar (80psi)
- The G85B is a block sprinkler (no solenoid)
- It can be reconfigured as a part circle head or a true full circle head
- In part circle the G885/G85B can include "rooster tail" opposing nozzles to Irrigate the Surrounds of a golf green

Catalogue No	Description	Price £
HSG880E	Full Circle, Electric VIH, 1 1/2" Acme	381.00
HSG885E	Adjustable Arc, Electric VIH, 1 1/2" Acme	416.00
HSG885DIH	G885 Golf Head DIH PC, 1 1/2" Acme	692.00
HSG80B	Full Circle Block, 1 1/4" Acme	177.00
HSG85B	Adjustable Arc, Block, 1 1/4" Acme	209.00
SPARE PARTS		
HSZ929700	Inlet Valve Assy for 800 Series	80.00

All Hunter Golf Rotor Warranty is Parts Only



Catalogue No	Item	Description	Price £
HSZ123200	1	Nozzle Insertion Collar	1.00
HSZ382800	2	Arc Adjustment Tool (G85B, G885E)	2.50
HSZ280100	3	Hunter Pitot Gauge	65.00
HSZ460302	4	Guzzler Hand Pump	49.10
HSZ053191	5	T-Handle Tool	1.00
HSZ052510	6	Snap-ring Removal Tool	23.00
HSZ604000	7	Valve Insert/ Removal Tool G800	133.00
HSZ052805	8	Valve Insertion/Removal Tool (G900)	145.00
HSZ475600	9	Valve&Snapping Removal Pliers-G800	45.00
HSZG90HS100	10	Hose Swivel Adaptor for G90/G900	99.75
HSZG800HS100	11	Hose Swivel Adaptor for G800 Series	99.75
HSZ475700	12	Hunter Golf Rotor Tool Kit	495.00
HSST517600	13	ST-1600 Tool, Gear Drive R & R	58.00
HSZ160700	14	3/4" Spotshot	52.00
HSZ160705	14	1" Spotshot	52.00
HSZ984400	15	I-80 Service Tool	30.00
HSZ172000	16	Hunter Wrench/key	1.19
HSST-1700-TOOL	17	ST1700 Valve Tool	64.60
HSZMPTOOL	18	MP Rotator Adjustment Tool	1.54
HSMMPGAUGE	19	MP Gauge	47.50
HSZFLAG	20	Hunter Marker Flag x 100	25.00

I SERIES SPARES

Catalogue No	Description	Price £
HSZMPR-25	MPR #25 Nozzle - I-20	0.25
HSZMPR-30	MPR #30 Nozzle - I-20	0.25
HSZ463403	I31 / I25 / G75 Nozzle - Orange (x25)	25.00
HSZ463408	I31 / I25 / G75 Nozzle - Red (x25)	25.00
HSZ463402	I31 / I25 / G75 Nozzle - White (x25)	25.00
HSZ463401	I31 / I25 / G75 Nozzle - Yellow (x25)	25.00
HSZ463404	I31 / I25 / G75 Nozzle -Light Brown (x25)	25.00
HSZ460010	I31 / I25 /G75 Nozzle Set (x10)	40.00
HSZ462459	I-40ADS Opposing Nozzle RK (x10)	25.00
HSZ462458	I-40ADS Std Nozzle RK (6 Nozzles) (x10)	25.00
HSZ195803	I90 Blanking Nozzles - Left	2.00
HSZ195703	I90 Blanking Nozzles - Right	2.00

GOLF ROTOR SPARES

Catalogue No	Description	Price £
HSZ450500	G875 Riser Seal	2.15
HSZ610100	G875 Snap Ring Assembly	9.10
HSZ052383	G70B/75B/875 Riser Seal Lower Support	1.05
HSZ349100	G70B/G75B Riser Seal Upper Support	1.05
HSZ403400	G70B/G75B Upper Snap Ring (black)	11.50
HSZ461532	G75/G875 Std Nozzle set (adj arc)	16.00
HSZ382400	G75B Snap Ring Assy (Upper) Black	3.20
HSZ377705	Logo Cap for G75B	7.10
HSZ474210	Replacement Riser Assem for G70B	88.19
HSZ474211	Replacement Riser Assem for G75B	112.35
HSZ348900	Riser Seal G70B / G75B	2.25
HSZ562800	G800E Snap Ring-lower (White)	3.20
HSZ256600	G800 Stator Base (for 266500)	2.50
HSZ266500	G800 Adjustable Stator (Noz. No 23-53)	2.50
HSZ271000	G800 Variable Stator Assy (Noz. No 10-20)	12.00
HSZ272101	G800 Primary Nozzle No 23 Green	5.00
HSZ272102	G800 Primary Nozzle No 25 Blue	5.00
HSZ272104	G800 Primary Nozzle No 38 Red	5.00
HSZ272105	G800 Primary Nozzle No 43 Dk Brown	5.00
HSZ272107	G800 Primary Nozzle No 53 Dk Blue	5.00
HSZ272109	G800 Primary Nozzle No 13 Light Blue	5.00
HSZ272110	G800 Primary Nozzle No 15 White	5.00
HSZ272111	G800 Primary Nozzle No 18 Orange	5.00
HSZ301702	G800 Low Angle Nozzle No 25 Blue	5.00
HSZ301704	G800 Low Angle Nozzle No 38 Red	5.00
HSZ301705	G800 Low Angle Nozzle No 43 Brown/G	5.00
HSZ301706	G800 Low Angle Nozzle No 48 DK Green	5.00
HSZ301707	G800 Low Angle Nozzle No 53 DK Blue	5.00
HSZ301712	G800 Low Angle Nozzle No 20 Tan	5.00
HSZ315300	G800 Secondary Plug Nozzle	1.00
HSZ315310	G800 Mid Range Nozzle Green	2.00
HSZ315311	G800 Mid Range Nozzle Lt Blue	2.00
HSZ315312	G800 Mid Range Nozzle DK Green	2.00
HSZ315313	G800 Mid Range Nozzle Lt Green	2.00
HSZ315314	G800 Mid Range Nozzle White	2.00
HSZ315315	G800 Mid Range Nozzle Blue	2.00
HSZ315317	G800 Mid Range Nozzle Gray	2.00
HSZ833500	G800 Mid Range Nozzle DK Blue	2.00
HSZ803601	G800 Short Range Nozzle Dk Red	2.00
HSZ803602	G800 Short Range Nozzle Red	2.00
HSZ803603	G800 Short Range Nozzle Orange	2.00
HSZ803604	G800 Short Range Nozzle Peach	2.00
HSZ803610	G800 Short Range Nozzle Dk Brown	2.00
HSZ803611	G800 Short Range Nozzle Tan	2.00
HSZ271900	G85B Screen/Check Valve for	6.50
HSZ256500	G885 Face Seal	8.00
HSZ255300	G885 Rubber Logo Cap Assembly	9.50
HSZ450100	G885 Upper Snap Ring Assy (Black)	9.10
HSZ674800	G885E Pressure Regulator for	26.75
HSZ460020	G885E Replacement Riser Assem	180.00
HSZ454200	G885 Selector Cap Yellow	1.85
HSZ461536	G885E/G995E Grey Selector Cap	7.60
HSZ4615375	Coil for G885E	13.60
HSZ414100	Diaphragm for G885E	17.50
HSZ525700	DIH Brace Decoder Support - Yellow	5.00
HSZ353600	DIH-100 1 Station Decoder/Solenoid	198.00
HSZ686500	DIH-200 2 Station Decoder/Solenoid	298.00
HSZ464364	G90 Primary Nozzle No 38 Red (25)	25.00
HSZ052830	G900 Series Lower Snap Ring (White)	3.20
HSZ430700	G900 Series Snap Ring Assy (Black)	4.30
HHSZ195701	G995 Nozzle - Mid Range	2.00
HSZ461204	G995E Primary Nozzle Pack 8	15.00
HSZ473900	G995E Rubber Cover	115.00
HSZ664100	Rubber Logo Cap for G995	8.05

MP ROTATOR SPARES

Catalogue No	Description	Price £
HSMPCSCREEN	Fine Filter for MP Rotator	0.69
HSMPCSCREENSP	Course Filter for MP Rotator	0.69

TRAVELLING SPRINKLERS

POPE WATER TRACTOR



Travels along a 1/2" (12.5mm) hose at variable speed depending on flow and pressure.

It covers up to 15M diameter and is ideal for gardens.

Plastic construction with adjustable spray arms

Catalogue No	Description	Price £
69I15-00	Water Tractor	98.00

RAIN TRAIN TRAVELLING SPRINKLER



- Custom watering along the path of the hose propelling itself along the ground following the pattern laid by the hose
- A shut off ramp is provided to automatically shut of the sprinkler
- Diameter of coverage 5 - 14 meters, adjustable by twisting arms
- Minimum operating pressure 2.8 Bar (40psi)
- To be used with 1/2" or 3/4" hose

Catalogue No	Description	Price £
69-10-00	Rain Train Sprinkler	151.00
69-77360	Front Wheel Assembly	19.40
69-77361	Rear Wheel & Hub (x2)	19.40
69-77376	Plastic Motor Assembly c/w Shut Off	25.10
69-77506	Spray Arm Assembly	19.40
69-77529	Shut Off Ramp	9.70

PERROT ROLLCART-V



- Perrot's popular travelling sprinkler, full and part circle operation
- Connect hose to sprinkler, set arc & water up to 120 meters length
- Cord re-winds and pulls traveller along through a turbine driven pulley system
- Sprinkler radius up to 18 meters
- Speed of travel can be adjusted from 10 to 20 m/h
- Minimum operating pressure 3.5 Bar at the traveller
- Accurate distribution from Perrots ZE impact sprinkler
- Overall measurements 77 x 47 x 40 cm

Catalogue No	Description	Price £
69P10-00	RollcarT Travelling Sprinkler	1460.00

REGA RAINING



Professional Traveller.

Covers up to 38M width and with 135M cable will cover up to 175M length
Min. 4m³/hr at 3 Bar pressure

Working Speed: 9.0 - 25 m/hr

Sprinkler Output: 4.3m³/h at 4 Bar

Diam of Coverage: 16-40M

3/4" F BSP INLET (ORDER HOSE FITTING SEPARATELY)

Catalogue No	Description	Price £
69K25-00	RainKing	1337.00
69K25-WH	Rega Spare Wheel + Cap	31.50
69KRL 1030	1030 Replacement Sprinkler Head	80.00
69KZ-5008	RKT 5008 Turbine Wheel	48.00
69KZ-5009	RKT 5009 Turbine Disc	14.00
69KZ-5013	RKT 5013 Driving Nozzle 1.5mm	6.50
69KZ-5014	RKT 5014 Driving Nozzle 2mm	7.50
69KZ-5015	RKT 5015 Nozzle Guide	11.20
69KZ-5023	RKT 5023 Housing	71.65
69KZ-5042	RKT 5042 Threaded Elbow 1/8"	8.50
69KZ-5054	RKT 5054 Flange Bearing - Right	86.20
69KZ-5059	RKT 5059 Security Retraction Spring	19.30
69KZ-5066	RKT 5066 Ball Valve 3/4"	50.80
69KZ-5093	RKT 5093 Retraction Spring	17.00